



Long-term observation of forests. Evidence for human footprints and relevance for ecosystem management

Hans Pretzsch

<http://waldwachstum.wzw.tum.de/index.php?id=presentations>

Sino-German workshop on
Multifunctionality of Forests
A Key to Adaptive Forest Management
NWAUFU, Yangling, PR China, September 11 – 12, 2018


Durchforstungsversuch Fabrikschleichach Situationsplan 1870



C. v. Carlowitz
*1645 †1714





W. L. Pfeil
*1783 †1859




B. Danckelmann
*1831 †1901



A. Schwappach
*1851 †1932



A. v. Ganghofer
*1827 †1900



F. v. Baur
1878-1897



R. Weber
1897-1905




V. Schüpfer
1905-1937



K. Vanselow
1937-1951





E. Assmann
1951-1972



F. Franz
1972-1993

Mean annual volume growth $\text{m}^3 \text{ha}^{-1} \text{yr}^{-1}$ on long-term experiments across Europe since 1860









Long-term observation of forests. Evidence for human footprints and relevance for ecosystem management

Hans Pretzsch

- 1 Stand growth acceleration by environmental change
- 2 Wood density reduced by climate change
- 3 Overyielding of mixed-species versus mono-specific stands


Sino-German workshop on
Multifunctionality of Forests
A Key to Adaptive Forest Management
NWAUFU, Yangling, PR China, September 11 – 12, 2018

1 Changes of the total stand volume production on 577 long term trials in Europe since 1860




model:
volume growth =
f (age, calendar year..)

1 Growth trends of Scots pine in Europe



- a given total stand volume production and standing stock is reached 30 years early than 100 years ago
- at the age of 75 intermediate yield is 200 m³ ha⁻¹ while it was just 75 m³ ha⁻¹ 100 years ago,
- this means an increase of intermediate yield by 150 %.

1 Growth trends of Scots pine in Europe



- a given total stand volume production and standing stock is reached 30 years early than 100 years ago
- at the age of 75 intermediate yield is $200 \text{ m}^3 \text{ ha}^{-1}$ while it was just $75 \text{ m}^3 \text{ ha}^{-1}$ 100 years ago,
- this means an increase of intermediate yield by 150 %.


2 Wood density reduced by climate and management



increment core sampling:


sample plots: 41 long-term experiments
species: N. sp (13), S. pi (11), E. beech (8),
sess. oak (9)
trees: 392
trees per species: N. sp (127), S. pi (103), E.
beech (63), sess. oak (99),
time span: 1870-2016
age: 31-194 years
rings: > 30.000

LIGNOSTATION, high frequency wood
densitometry



model: wood density = f (tree size, ring width, calendar year..)


2 Wood density reduced by climate and management



Species	Mean wood density		Early wood density		Late wood density	
Norway spruce	-7.7%	(2.5)	-1.7%	(2.3)	-4.2%	(2.5)
Scots pine	-5.4%	(3.4)	-4.8%	(3.4)	-4.5%	(3.9)
European beech	-11.2%	(3.8)	-10.8%	(3.4)	-12.1%	(4.4)
sessile oak	-11.8%	(3.1)	-1.3%	(2.5)	-10.6%	(3.5)

Pretzsch, H et al. (2018) Wood density reduced while wood volume growth accelerated in Central European forests since 1870, Forest Ecology and Management, 429: 589-616


2 Wood density reduced by climate and management



Species	Mean wood density		Early wood density		Late wood density	
Norway spruce	-7.7%	(2.5)	-1.7%	(2.3)	-4.2%	(2.5)
Scots pine	-5.4%	(3.4)	-4.8%	(3.4)	-4.5%	(3.9)
European beech	-11.2%	(3.8)	-10.8%	(3.4)	-12.1%	(4.4)
sessile oak	-11.8%	(3.1)	-1.3%	(2.5)	-10.6%	(3.5)

Pretzsch, H et al. (2018) Wood density reduced while wood volume growth accelerated in Central European forests since 1870, Forest Ecology and Management, 429: 589-616

3 Experimental setup for scrutiny of mixing effects Zwiesel 111/3,4,5 Bavarian Forest





$p_{1,2}$ compared with $p_1 \times m_1 + p_2 \times m_2$

3 Meta-analyses of overyielding in mixed vs. pure stands

spruce-beech

oak-beech



Species combination	N. sp/ E. be	S. pi/ E. be	s. oak/ E. be	E. be/ D-fir	S. pi/ N. sp	E. la/ N. sp	N. sp/ s. fir	mean
overyielding	21	30	20	11	21	25	13	
(± SE) in %	(± 3)	(± 9)	(± 3)	(± 8)	(± 11)	(± 6)	(± 6)	
corr. factor	1.10	1.20	1.10	1.10	1.20	1.20	1.10	1.10

Jactel et al. (2018), Pretzsch, Forrester and Bauhus (2017), Liang, J. et al. (2016)


3 Meta-analyses of overyielding in mixed vs. pure stands

spruce-beech

oak-beech

experimental plot

relative difference [95% CI]



RE Model

Summary study 3:


- overyielding of 15-30 % of mixed vs. pure stands
- occasionally also neutral or negative effects
- conservative correction factor: $iv_{\text{pure}} \times 1.10 \text{ to } 1.20$

0.61 1.00 1.65 2.72

mixed stand / pure stand

experimental plot

relative difference [95% CI]




0.37 0.61 1.00 1.65 2.72 4.48



mixed stand/ pure stand

Species combination	N. sp/ E. be	S. pi/ E. be	s. oak/ E. be	E. be/ D-fir	S. pi/ N. sp	E. la/ N. sp	N. sp/ s. fir	mean
overyielding (± SE) in %	21 (± 3)	30 (± 9)	20 (± 3)	11 (± 8)	21 (± 11)	25 (± 6)	13 (± 6)	
corr. factor	1.10	1.20	1.10	1.10	1.20	1.20	1.10	1.10

Unique stand information just from long-term experiments: total production, stand history, growth trends



Space for time assumption. Use of inventory data



Criteria for sustainable forest ecosystem management. Objective hierarchy for the management of municipal forest Traunstein

Criteria for sustainable forest management	Indicators	Weight (%)
Forest resources	timber resources, area of forest, extension of area	20
Health and vitality	stability, fitness, elasticity	17
Productive functions	growth, yield, net return	12
Biological diversity	habitat quality, richness flora/fauna, conservation	10
Protective functions	soil, water, climate, noise, protection	10
Socio-economic functions	employment, recreation, esthetics, proximity to nature	31



Thanks for funding by
EU REFORM (# 2816ERA02S),
CLIMO, CARE4C, BIODIVERSA
DFG
MStELF, MStU, BaySF

Thanks for provinding data to
partner institutions in Sweden, Denmark,
England, Poland, France, Germany
Austria, Switzerland, Italy, Spain, and others

<http://waldwachstum.wzw.tum.de/index.php?id=presentations>



Long-term observation of forests. Evidence for human footprints and relevance for ecosystem management

Hans Pretzsch

<http://waldwachstum.wzw.tum.de/index.php?id=presentations>

Sino-German workshop on
Multifunctionality of Forests
A Key to Adaptive Forest Management
NWAFU, Yangling, PR China, September 11 – 12, 2018